| Yale-Brown | Obsessive | Compulcive | Scale | $(V_R \cap CS)$ |
|------------|-----------|------------|---------|-----------------|
| raie-biown | Obsessive | Compuisive | Scale (| (|

| NAME: | DATE: |
|-------|-------|

Note: Scores should reflect the composite effect of all the patient's obsessive compulsive symptoms. Rate the average occurrence of each item during the prior week up to and including the time of interview.

Obsession Rating Scale (circle appropriate score)

| Item | Range of Severity |
|------|-------------------|

| | | • | | | | |
|-------|------------------------------|------------------|-----------------|-----------------|----------------|-------------------|
| 1. | Time Spent on Obsessions | O hr/day | 0-1 hr/day | 1-3 hr/day | 3-8 hr/day | > 8 hr/day |
| 00.15 | Score: | 0 | 1 | 2 | 3 | 4 |
| | | | | Definite but | Substantial | |
| 2. | Interference From Obsessions | None | Mild | manageable | impairment | Incapacitating |
| | Score: | 0 | 1 | 2 | 3 | 4 |
| | | | | Moderate but | | Near constant, |
| 3. | Distress From Obsessions | None | Little | manageable | Severe | disabling |
| | Score: | 0 | 1 | ž | 3 | 4 |
| 4. | Resistance to Obsessions | Always resists | Much resistance | Some resistance | Often yields | Completely yields |
| | Score: | 0 | 1 | 2 | 3 | 4 |
| 5. | Control Over Obsessions | Complete control | Much control | Some control | Little control | No control |
| | Score: | 0 | 1 | 2 | 3 | 4 |

Obsession subtotal (add items 1-5)

Compulsion Rating Scale (circle appropriate score)

Item Range of Severity

| 6. | Time Spent on Compulsions | O hr/day | 0-1 hr/day | 1-3 hr/day | 3-8 hr/day | > 8 hr/day |
|-----|-------------------------------------|---------------------|----------------------|---------------------------------|---------------------------|----------------------------------|
| | Score: | 0 | 1 | 2 | 3 | 4 |
| 7. | Interference From Compulsions | None | Mild | Definite but manageable | Substantial impairment | Incapacitating |
| | Score: | 0 | 1 | 2 | 3 | 4 |
| 8. | Distress From Compulsions Score: | None 0 | Mild 1 | Moderate but manageable 2 | Severe 3 | Near constant, disabling 4 |
| 9. | Resistance to Compulsions Score: | Always resists 0 | Much resistance 1 | Some resistance 2 | Often yields 3 | Completely yields 4 |
| 10. | Control Over Compulsions Score: | Complete control | Much control | Some control | Little control | No control |

Compulsion subtotal (add items 6-10)

| Y-BOCS total (add items 1–10) | |
|-------------------------------|--|
| 1-0005 total (add items 1-10) | |

| Total Y-BOCS score range of | severity for pa | tients who have both o | bsessions and com | pulsions: | |
|-----------------------------|-----------------|------------------------|-------------------|---------------|--|
| 0-7 Subclinical | 8-15 Mild | 16-23 Moderate | 24-31 Severe | 32-40 Extreme | |
| COMMENTS: | | | | | |
| | | - 12 | | | |